

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	83	monitor\$3 with tandem adj (switch or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:24
L2	1	1 and (insert\$3 or add\$3 or incorporat\$3 or embed\$4 or includ\$3) with error with preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:48
L3	16	1 and (insert\$3 or add\$3 or incorporat\$3 or embed\$4 or includ\$3) with error with (packet or frame or preamble)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:34
L4	14	3 and (@AD<"20030729" or @RLAD<"20030729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:34
L5	13	4 and SONET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:00
L6	2	4 and preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:18
L7	2	4 and K1 adj byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:18
L8	20	SONET and (insert\$3 or add\$3 or incorporat\$3 or embed\$4 or includ\$3) with error with (packet or frame or preamble).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:17
L9	19	8 and (@AD<"20030729" or @RLAD<"20030729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:17

L10	18	9 not 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:17
L11	4	10 and preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:20
L12	1	10 and K1 adj byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:36
L13	5	12 or 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:20
L14	3	1 and monitor\$3 with bit adj interleaved near5 parity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:35
L15	17	1 and (insert\$3 or add\$3 or incorporat\$3 or embed\$4 or includ\$3) with error with (packet or frame or preamble or header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:48
L16	94	(1 or 8) and (@AD<"20030729" or @RLAD<"20030729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:50
L17	33	16 and (insert\$3 or add\$3 or incorporat\$3 or embed\$4 or includ\$3) with error with (packet or frame or preamble or header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:41
L18	3	17 and monitor\$3 with bit adj interleaved near5 parity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:36
L19	3	17 and (K3 or K1) adj byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:37

L20	0	17 and (K3 and K1) adj byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:36
L21	7	16 and trail adj trace adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:52
L22	16	16 and Ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:42
L23	17	16 and ((sink or first) and (source or second)) adj2 (element or node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:44
L24	0	16 and ((sink and first) and (source and second)) adj2 (element or node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:44
L25	3	16 and ((sink) and (source)) adj2 (element or node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:44
L26	6	16 and (insert\$3 or add\$3 or incorporat\$3 or embed\$4 or includ\$3) with error near1 (count or number) with (packet or frame or preamble or header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:49
L27	0	26 and (insert\$3 or add\$3 or incorporat\$3 or embed\$4 or includ\$3) with error near1 (count or number) with (preamble)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:49
L28	45	17 or 18 or 19 or 21 or 22 or 25 or 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:52
L29	2	(converg\$3 adj data adj link or CDL) near5:protocol and SONET and (@AD<"20030729" or @RLAD<"20030729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:51

L30	0	1 and 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:59
L31	0	16 and 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:59